

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

RECEIVED

By Carol Day at 2:12 pm, Mar 14, 2014 т #7

ALCO-SENSOR IV WITH PRINTER MAINTENANCE REPORT

(By Carol

Complete this report in duplicate at the time of the regular monthly preventative maintenance check, and whenever instrument is repaired. Send copy to Department of Health and Senior Services; retain original in department file.				
ALCO SENSOR IV SN 097402	PRINTER SN 096.3580.878			DATE OF INSPECTION 03/04/2014
LOCATION OF INSTRUMENT (STREET AND CITY) 600 E. Walnut Columbia				TIME OF INSPECTION 6:03 pm
CHECKLIST: Place a mark in the box by each item if found to be satisfactory or if operating within established limits. (Write in observed values where determined.) Unmarked items must be corrected before using instrument.				
☑ DIGITAL READOUT (ALL ELEMENTS OPERATIONAL)				
☑ TEMPERATURE OF ALCO SENSOR (10°C - 40°C)				
PRINTER WORKING PROPERLY				
☑ TIME AND DATE DISPLAYING PROPERLY				
BREATH ALCOHOL ACCURACY STANDARDS				
☑ SIMULATOR SOLUTION	COMPRESSED ETHANOL-GAS MIXTURE			
STANDARD SUPPLIER Guth Labs	Guth Labs LOT # 13210 EXP. DATE 07/29/2015			
SIMULATOR TEMPERATURE (34°C ± 0.2°C) 34.0 SIMULATOR SN SD2761 SIMULATOR EXP DATE 01/07/2015				
Run three tests using a standard solution. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Check the box corresponding to the standard solution being used. (PRINTOUT ATTACHED) 0.100% STANDARD - MUST READ BETWEEN 0.095% and 0.105% INCLUSIVE 0.080% STANDARD - MUST READ BETWEEN 0.076% and 0.084% INCLUSIVE 0.040% STANDARD - MUST READ BETWEEN 0.038% and 0.042% INCLUSIVE				
TEST 1 ★ .100	TEST 2 ≠ .100		TEST 3 ★ .100	
☑ RFI DETECTOR OPERATING				
INDICATE THE NUMBER OF BREATH TESTS IN THE FOLLOWING RANGES SINCE THE LAST MAINTENANCE REPORT: (DO NOT INCLUDE SELF-ADMINISTERED TESTS)				
REFUSALS 5 (004) 1	(.0509) 2	(.1014) 4	(.1519)	4 (OVER .19) 0
List any new parts and describe any alteration or modification that was made to restore the instrument to operate satisfactorily and within established limits (use other side if necessary).				
<u>-</u>		= =	- · · · · -	
	•	•		
<u> </u>	`			
INSPECTING OFFICER				
SIGNATURE Almondo	-		PRINT NAME Nathan Turner	-
TYPE II PERMIT NUMBER/EXPIRATION DATE 220411 12/20/14		. ,	(573) 874-765	
	cohol Program, MO Dep nes Boulevard uff, MO 63901	partment of Health an	nd Senior Service	s, Southeast District Office



CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 13210 of Alcohol Reference Solution for Simulator were analyzed by gas obsomatography on July 31, 2013, using a Parkin Bluer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1216% (w/vol) othyl alcohol. The expiration date for this lot number is July 29, 2015 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcoholanglysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability: Testing was conducted using Certifiant Reference Standard lot number FN122211-03 whose values are traceable to NIST. All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights. AS IV Serial not 697402
Version not 604C

TEST RECORD 01425
9/
Temm Date Time 210L
Air Dlank: 95/04/14 18:96 .000
Calibration Check: 24 03/04/14 18:06 .100

Subject Name
Test
Subject 1.0.

Deerstor Name: 1.0.

Lumer 1985
Location
CPD

AS IV Serial not 897402
Version not 684C

TEST RECORD 61426

Temp Date Time 218L

Void: RTI
12 03/04/14 18:87

Subject Name

Test

Subject Name

Test

Subject T.D.

Overator Name, J.B.

Turner 1583

Location

C PD

AS IV Scrie) not 697402 Version not 604C TEST RECORD 61424

Temm Nate Time 219L Air Dlank 03/04/14 18:64 .000 Calibration Check! 23 63/04/14 18:04 .100

Subject Hame

Test Subject I.D.

Operator Hames 1.1%

Turner 1585

CPD